



[Covered DM Supplies](#)

[OHP PA Criteria](#)

[OHP Formulary](#)

[Medicare Diabetes Coverage](#)

Medicaid Diabetes Medication Coverage

Formulary Status	Max day supply	Class	Medications	Dosing	Considerations
Formulary	90	Biguanide	Metformin IR and ER	500-2,000 mg total daily dose	Preferred initial therapy for most DM2 patients
Formulary	90	TZD	Pioglitazone	15-45 mg once daily	Can cause or exacerbate CHF in some patients – avoid use in those patients
Formulary	90	Sulfonylurea	Glimepiride, Glipizide, Glyburide	Varies	Can cause hypoglycemia
Step Therapy	34	SGLT-2 Inhibitors	Steglatro	5-15mg once daily	Dapagliflozin available with PA Steglatro Step Criteria
Step Therapy	34	DPP-4 Inhibitors	Alogliptin	25mg once daily	Alogliptin Step Criteria
PA	28	GLP-1 Agonists	Ozempic, Victoza, Monjaro, Trulicity, Byetta, Bydureon	See FDA label for DM treatment doses	GLP-1 PA Criteria
Insulin					
Formulary	90	Long-acting/ intermediate acting insulin	Lantus, Glargine YFGN, Rezvoglar, Novolin N, Humulin N	Varies	Pen and vials covered when applicable
Formulary	90	Short-acting insulin	Admelog, Insulin Lispro, Novolin R, Humulin R	Varies	Pen and vials covered when applicable
PA	90	Short-acting insulin	Insulin Lispro Junior Pen Injector	Varies	For half-unit dosage, generic is preferred product, requiring PA.

- Please see formulary for covered combination products, hypoglycemia agents.
- Statins are generally recommended for patients over 40 years old with diabetes to reduce the risk of ASCVD.